

**Marine Fishery Resources
Development and Management Department (MFRDMD)
Kuala Terengganu, Malaysia
November 2000**

**SUMMARY REPORT OF SEA TURTLE POPULATION STATISTICS
IN WEST COAST OF PENINSULAR MALAYSIA
FOR THE YEAR 1998**

1. SPECIES OCCURRENCE

Three species are recognised to land and nest in West Coast of Peninsular Malaysia. These species are Green (*Chelonia mydas*), Hawksbill (*Eretmochelys imbricata*).

1.1 Major species: Hawksbill (*Eretmochelys imbricata*), Penyu Karah

2. MAJOR NESTING LOCATIONS

Green: Segari (Perak) & Keranchut Beach (Pulau Pinang)

Hawksbill: Melaka

3. HATCHERY

3.1 *In – situ* hatcheries: none

3.2 Artificial hatcheries: Segari, Melaka and Keranchut Beach

4. ANNUAL LANDING

Green: 132

Hawksbill: 222

5. ANNUAL NESTING

Green: 132

Hawksbill: 222

6. PEAK SEASON

Green: March - June

Hawksbill: May - August



7. TOTAL OF EGGS INCUBATED

Green: 13,555

Hawksbill: 25,831

8. TOTAL OF HATCHLINGS

8.2 Artificial hatcheries: *Green:* 4,821

Hawksbill: 8,940

9. TOTAL OF MORTALITY

No record



**SUMMARY REPORT OF SEA TURTLE POPULATION STATISTICS
IN WEST COAST OF PENINSULAR MALAYSIA
FOR THE YEAR 1999**

1. SPECIES OCCURRENCE

Three species are recognised to land and nest in West Coast of Peninsular Malaysia. These species are Green (*Chelonia mydas*), Hawksbill (*Eretmochelys imbricata*).

1.1 Major species: Hawksbill (*Eretmochelys imbricata*), Penyu Karah

2. MAJOR NESTING LOCATIONS

Green: Segari (Perak) & Keranchut Beach (Pulau Pinang)

Hawksbill: Melaka

3. HATCHERY

3.1 *In – situ* hatcheries: none

3.2 Artificial hatcheries: Segari, Melaka and Keranchut

4. ANNUAL LANDING

Green: 220

Hawksbill: 241

5. ANNUAL NESTING

Green: 220

Hawksbill: 241

6. PEAK SEASON

Green: May - July

Hawksbill: May - July

7. TOTAL OF EGGS INCUBATED

Green: 23,622

Hawksbill: 258,254

8. TOTAL OF HATCHLINGS

8.1 Artificial hatcheries: *Green:* 11,843

Hawksbill: 16,611

10. TOTAL OF MORTALITY

No record



SUMMARY REPORT OF SEA TURTLE POPULATION STATISTICS IN WEST COAST OF PENINSULAR MALAYSIA FOR THE YEAR 2000

1. SPECIES OCCURRENCE

Three species are recognised to land and nest in West Coast of Peninsular Malaysia. These species are Green (*Chelonia mydas*), Hawksbill (*Eretmochelys imbricata*)

1.1 Major species: Green (*Chelonia mydas*), Penyu agar

2. MAJOR NESTING LOCATIONS

Green: Segari (Perak) & Keranchut Beach (Pulau Pinang)

Hawksbill: Melaka

3. HATCHERY

3.1 *In – situ* hatcheries: none

3.2 Artificial hatcheries: Segari, Melaka and Keranchut Beach

4. ANNUAL LANDING

Green: 100

Hawksbill: 88

5. ANNUAL NESTING

Green: 100

Hawksbill: 88

6. PEAK SEASON

Green: February - April

Hawksbill: May - July

7. TOTAL OF EGGS INCUBATED

Green: 10,681

Hawksbill: 10,672

8. TOTAL OF HATCHLINGS

8.1 Artificial hatcheries: *Green:* 4,392

Hawksbill: 1,185

9. TOTAL OF MORTALITY

No record